

383 Green Deep Twist/1# Barrier/.55" Closed Cell Foam

Typical Physical Properties: Deep Twist Surface

Specification	Typical Results
Type	Vinyl
Pattern	Twist Grain
Backing	Reinforced
Total Weight	23.7 oz/yd ²
Color	383 Green

Typical Physical Properties: Barrier

Specification	Typical Results
Type	PVC
Specific Gravity	2.5
Flexibility	Very Limp

Typical Physical Properties: Closed Cell Foam

Specification	Test Method	Typical Results
Base Polymer		PVC/NBR
Density	ASTM D1056	4.0-5.5 lbs/ft ³
Compression Resistance, @ 25%	ASTM D1056	2.0 to 3.5 psi
Water Absorption	ASTM D1667	0.1 lb/ft ² max
Tensile Strength	ASTM D412	40 psi min
Elongation	ASTM D412	150% min
Thermal Conductivity	ASTM C518	0.25 BTU-in/hr-ft ² °F @ 72°F
Operating Temperature		-40° to 200°F
Flammability	FMVSS 302 UL94 HBF UL94 V-1	Pass Pass Pass

THE VALUES PRESENTED ARE TYPICAL AND ARE NOT INTENDED FOR SPECIFICATION PURPOSES. This information is provided without warrant, representation, inducement or license of any kind. INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE OR PURPOSE, except that is accurate to the best of MILCUT INC. knowledge or obtained from sources believed by MILCUT INC. to be accurate, and MILCUT INC. does not assume any legal responsibility for the use or reliance upon same. Customers are encouraged to conduct their own tests for suitability and conformance.